

## MATERIAL SAFETY DATA SHEET

# **B-1 BLUE CONCENTRATE**

**Syrgis Performance** Initiators, Inc.

Helena, AR

# **SECTION 1 - IDENTIFICATION OF THE PRODUCT AND THE COMPANY**

PRODUCT NAME **MANUFACTURER** 

**CHEMICAL FAMILY** 

**ADDRESS** 

**B-1 Blue Concentrate** 

Syrgis Performance Initiators, Inc. 334 Phillips 311 Rd., Helena, AR 72342

**CHEMICAL NAME** 

9,10-Anthracenedione, 1,4-bis[(2,6-dibromo-4methylphenyl)amino]- in N-methyl-2-pyrrolidone

Dye in a cyclic amide

**TELEPHONE** CHEMTREC (24hr) (USA)

870-572-2935 800-424-9300 703-527-3887

(Maritime/International) CAS NO.

See Section 2

**CHEMICAL FORMULA** Mixture

# **SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS**

**COMPONENTS** n-Methyl-2-pyrrolidone

CAS NO. 872-50-4 68239-76-9

% 99 1

9,10-Anthracenedione, 1,4-bis[(2,6-dibromo-4-methylphenyl)amino]-

SECTION 3 - HAZARD IDENTIFICATION OF THE PREPARATION

PHYSICAL HAZARDS **HEALTH HAZARDS** 

Combustible liquid.

Potential reproductive toxin. Irritating to skin and eyes.

**EXPOSURE LIMITS ROUTES OF EXPOSURE**  None established.

**Skin Contact** 

Skin contact may cause delayed skin irritation and blistering. May dye the skin blue.

No significant sings or symptoms are expected to occur as a result of skin absorption

exposure.

**Eye Contact** 

Eye contact may cause moderate irritation, including burning sensation, tearing,

redness or inflammation.

Ingestion

Ingestion of large quantities may be a slight health hazard.

Inhalation

Inhalation is not expected to cause any significant signs or symptoms of adverse

health hazards.

**EFFECTS OF OVER-EXPOSURE** 

Potentially fetotoxic in extremely high doses. Not mutagenic in Ames test.

#### SECTION 4 - FIRST-AID MEASURES

SKIN

Wash contaminated area thoroughly with soap and water. Seek medical attention if

irritation develops.

**EYES** 

Remove any contact lenses at once. Flush eves with water for 20 - 30 minutes and

seek medical attention.

**INGESTION** 

If large quantity swallowed, give lukewarm water (pint) if victim is completely conscious

and alert. Contact a physician, hospital or Poison Control Center at once. DO NOT

INDUCE VOMITING.

**INHALATION** 

Immediately remove to fresh air, if coughing, breathing becomes labored, irritation develops or other symptoms develop, seek medical attention at once, even if

symptoms develop several hours after the exposure.

## SECTION 5 - FIRE-FIGHTING MEASURES

**FLASH POINT FLAMMABLE LIMITS AUTOIGNITION POINT**  Approximately 204°F (95.5°C), C.O.C. LEL 1.3% - UEL 9.5% by volume Approximately 518°F (270°C)

**EXTINGUISHING MEDIA** 

Carbon dioxide, foam or dry chemical extinguishers. Water fog to fight fire, water

fog/spray to cool containers near fire.

**SPECIAL FIRE FIGHTING** 

**PROCEDURES** 

Fight fire from a safe distance. Heat may build up enough pressure to rupture closed containers, spreading the fire and increasing the risk of burns or other injuries. Firefighters should be equipped with protective clothing and SCBA's. In case of fire near storage area, cool the containers with water fog or spray.

**UNUSUAL FIRE AND EXPLOSION** 

**HAZARDS** 

When heated above flash point, material releases flammable vapors. When mixed with are and exposed to an ignition source, vapors can burn or explode. Vapors may travel long distances along the ground before igniting and flashing back to the vapor source. Residue from fire or spill is a blue dye.

Revised on: 8/24/11 Printed On: 8/24/2011 Page 1 of 4

# **B-1 Blue Concentrate**

# **SECTION 6 - ACCIDENTAL RELEASE MEASURES**

STEPS TO BE TAKEN IN EVENT OF SPILL OR RELEASE

Evacuate area of all unnecessary personnel. Remove all sources of ignition. Refer to protective measures listed in sections 7 and 8. Spilled material should be swept up with an inert, moist diluent such as perlite, vermiculite, or sand. Keep spilled material from entering drains, sewers, streams, etc. Carefully collect the material using nonsparking tools and transfer into a clean polyethylene lined or a polyethylene drum disposal container. Label container and store in a secure area for proper disposal. Prevent material from entering drains, sewers, streams, etc.

## SECTION 7 - HANDLING AND STORAGE

**HANDLING** Keep containers tightly closed. Rotate stock using the oldest material first. Take

> precautionary measures against static discharge. DO NOT USE NEAR FOOD OR DRINK. Avoid skin and eye contact. Avoid breathing vapors and use with adequate ventilation. Wear personal protection equipment recommended in section 8. Reseal

containers immediately after use.

Keep material in its original container away from any incompatible materials, direct **STORAGE** 

sunlight or other sources of heat. DO NOT STORE WITH FOOD OR DRINK. Store in

an isolated, cool and well-ventilated area.

Containers of this material may be hazardous when empty since they retain product OTHER PRECAUTIONS

residues, observe all warnings and precautions listed. Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities.

## **SECTION 8 - EXPOSURE CONTROL/PERSONAL PROTECTION**

VENTILATION Use with adequate ventilation.

RESPIRATORY PROTECTION If airborne concentrations are expected to exceed acceptable levels wear a NIOSH

approved air-purifying respirator with an organic vapor cartridge or canister. When using respirators refer to OSHA's 29CFR 1910.134. In case of spill or leak of

unknown concentration, use NIOSH approved supplied air respirator. Safety goggles recommended, goggles with a face shield are preferred.

Protective gloves recommended, solvent resistant. HAND PROTECTION

A safety shower and eyewash is highly recommended when the risk of a significant **OTHER** 

exposure exits.

## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Intensely blue liquid with an amine-like odor. APPEARANCE AND ODOR:

400°F (204°C) **SPECIFIC GRAVITY:** 1.04 (Water = 1) **BOILING POINT:** ~204°F (95.5°C), C.O.C. 4 mmHG @ 140°F **FLASH POINT: VAPOR PRESSURE:** LEL 1.3% - UEL 9.5% **VAPOR DENSITY:** >1 **FLAMMABLE LIMITS:** 

**EVAPORATION RATE:** 0.06 (butyl acetate = 1) **SADT**: Not applicable % VOLATILE BY VOLUME: 99% Not applicable **SOLUBILITY IN WATER:** 99% Other properties Hygroscopic

## **SECTION 10 - STABILITY AND REACTIVITY**

Stable under normal conditions of use. **STABILITY** 

**CONDITIONS TO AVOID** Storage in direct sunlight, high temperatures, flames, sparks. Prevent product

contamination.

Strong oxidizing agents. Reducing agents. **MATERIALS TO AVOID** 

**HAZARDOUS DECOMPOSITION** Carbon monoxide and nitrogen oxide vapors emitted when heated to decomposition.

**PRODUCTS** 

**EYE PROTECTION** 

HAZARDOUS POLYMERIZATION Will not occur.

# **B-1 Blue Concentrate**

## **SECTION 11 - TOXICOLOGICAL INFORMATION**

#### n-Methyl-2-pyrrolidinone

**Hazard Data:** 

Reproductive Effects

**Dermal:** Rabbit--TD<sub>Lo</sub>: 7500 mg/kg (6-15D preg), Effects on fertility - post implantation mortality (e.g., dead and/or resorbed implants per total number of implants, Effects on fertility - litter size (e.g., # fetuses per litter; measured before birth), Effects on embryo or fetus - fetotoxicity (except death, e.g., stunted fetus).

 $\textbf{Inhalation:} \ \mathsf{Rat-LC}_\mathsf{Lo:} \ 116 \ \mathsf{ppm/6H} \ (\mathsf{multigenerations}), \ \mathsf{Effects} \ \mathsf{on} \ \mathsf{embryo} \ \mathsf{or} \ \mathsf{fetotoxicity} \ (\mathsf{except} \ \mathsf{death}, \ \mathsf{e.g.}, \ \mathsf{death})$ 

stunted fetus)

**Oral:** Rat--TD<sub>Lo</sub>: 9700 mg/kg (6-15D preg), Effects on embryo or fetus - fetal death, Specific developmental abnormalities - other developmental abnormalities.

**Toxic Effects** 

**Dermal:** Rabbit--LD<sub>50</sub>: 8 g/kg **Inhalation:** Rat--LC<sub>Lo:</sub> 1g/m<sup>3</sup>

Intraperitoneal: Mouse--LD<sub>50</sub>: 3050 mg/kg; Rat--LD<sub>50</sub>: 2472 mg/kg.

Intravenous: Dog--LD<sub>50</sub>: 63330  $\mu$ g/kg; Mouse--LD<sub>50</sub>: 54500  $\mu$ g/kg; Rat--LD<sub>50</sub>: 80500  $\mu$ g/kg.

Oral: Mouse--LD<sub>50</sub>: 5,130 mg/kg, Rat--LD<sub>50</sub>: 3,914 mg/kg.

**Subcutaneous:** Rat--LD<sub>Lo</sub>: >2 g/kg.

**Tumorigenic Effects** 

Oral: Mouse--TD<sub>Lo</sub>: 784 gmg/kg/7W-C.

9,10-Anthracenedione, 1,4-bis[(2,6-dibromo-4-methylphenyl)amino]-

Hazard Data: No data

# **SECTION 12 - ECOLOGICAL INFORMATION**

No data is available on the preparation itself.

n-Methyl-2-pyrrolidinone

Ecotoxicity: No data available

**Environmental Fate:** 

Abiotic degradability: photolysis half-life 5.2 hrs. Biotic Degradability: BOD 92% (14day). Theo. BOD (Modified MITI Test) 73% (28 day)

**Bioaccumulation:** This material is not expected to bioaccumulate. **Biodegradation:** This material is expected to be readily biodegradable.

The product should be prevented from entering drains, sewers, streams, etc.

## **SECTION 13 - DISPOSAL CONSIDERATIONS**

Prevent material from entering drains, sewers, streams, etc.

Immediately dispose of waste material at a RCRA approved hazardous waste management facility in accordance with federal, state and local regulations. Burn/incinerate concentrated liquids. Avoid overloading/poisoning plant biomass. Dilute aqueous waste may biodegrade.

#### SECTION 14 - TRANSPORT INFORMATION

Non Regulated By DOT

## **SECTION 15 - REGULATORY INFORMATION**

The following chemicals are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

 Chemical Name
 CAS Number
 Percent

 n-Methyl-2-pyrrolidone
 872-50-4
 99

**Australian Inventory of Chemical Substances (AICS)** 

The ingredients in this product are listed in the Australian AICS Inventory.

**European Inventory of Existing Commercial Chemical Substances (EINECS)** 

The ingredients in this product are listed in the European EINECS Inventory.

# **B-1 Blue Concentrate**

#### **US Toxic Substances Control Act (TSCA)**

The ingredients in this product are listed in the US TSCA Inventory.

#### **Status of Carcinogicity**

Not recognized as a carcinogen by the IARC, NTP or OSHA.

#### California Prop. 65

N-methyl pyrrolidone is subject to California's Prop. 65 regulations.

# **SECTION 16 - OTHER INFORMATION**

**VOC Information** 

99% VOC, by weight.

NFPA 704 Rating

<u>Health</u>

1

t HMIS Rating
Flammability Reactivity Health

Health Flammability Reactivity

MSDS Reference: B-1 MSDS 1108.doc

MSDS Review Date: 8/24/2011

#### DISCLAIMER OF LIABILITY

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness.

The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use, or disposal of the product.

This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable